

PER VS. SPEED (KRAFFT PROP) S#L

MAP (°)	RPM	V _{IND}	V _{EAS}	ALT.	QNH	OAT (°C)	NOTES.
20 1/2	4160	110	116	2800'	1021	18	CO 16ppm. <u>974 lbs @ 59.9"</u>
23	4350	95	101	~3000'	1018	~19	<u>600+ ffs climb.</u> <u>997 lbs @ 60.1"</u>
26 3/4	4570	95	99	2000'	"	~22	<u>300 climbout.</u> CO 20 ppm (30 landing)
25	5300	153	161	2500'	"	~21	
22	4500	123	131	3000'	"	~19	
22	4380	120	127	3000'	"	~19	
23	4800	130	138	3000'	"	~19	Stall 50 clean 42 full flap @ 4000' - 3500'
23	4950	138	148	3500'	"	~18	
20	4230	120	127	3000'	"	~19	4400 rpm OIL PR. 40psi. Sopsi idle
18	3650	91	97	~3000'	"	~19	S#L MINIMUM SPEED
21	4230	116	122	2100'	1017	13	} Thermally. CO 16 ppm 30 landing.
20	4150	121	127	2800'	1019	~13	
19	4130	117	123	3200'	1019	~13	
20	4310	120	126	3000'	1017	13	} of data removed.
20.5	4200	120	124	3000'	1026	~7	
18	4000	105	113	5400'	1000	4 (0)	
-	4000	111	116	5300'	1001	8 (2)	
18.8	3800	102	105	3800'	1023	-3	
18.8	3800 - 4000	110		4000'	1003	~5	
24	5450	158		3800'	1003	~5	
22	4550	128		3000'	1003	~5	
20	3800	114		"	"	"	